

We claim:

1. A method of advertising to a user of a terminal, comprising:

displaying content on a bistable display;

transmitting an indication of user inactivity;

receiving an advertisement;

displaying the advertisement on the display; and

removing power to the display, wherein the advertisement remains on the display after power has been removed.

- 2. The method of claim 1 wherein the display is a bistable reflective display.
- The method of claim 1 further comprising:

 receiving the content; and

 detecting a predetermined period of user inactivity with respect to the

4. The method of claim 3 wherein the content and advertisement are received via the Internet.

5. The method of claim 3 wherein the content and advertisement are received via a DVB-T receiver.

6. The method of claim 1 wherein the content is a page of an electronic book and further comprising:

detecting a page furn at a particular time,

content.

wherein the period of user inactivity begins with the time of the page turn and ends a predetermined time later.

- 7. The method of claim 1 wherein the advertisement remains on the display for an extended period of time after power has been removed.
- 8. The method of claim 1 further comprising:

 displaying a different advertisement on the display after a predetermined period of time.
- 9. The method of claim 1 wherein the advertisement replaces the content on the display.
- 10. The method of claim 1, further comprising:
 removing power to the display after displaying the content, wherein the content remains on the display after power has been removed.
- 11. The method of claim 1, further comprising:

 adding power to the display to clear the content and display the advertisement.
 - 12. The method of claim 1 further comprising: transferring content to a second terminal.
 - 13. The method of claim/12 further comprising:
 notifying an advertisement server of the content transfer.

- 14. The method of claim 13 wherein the advertisement server is notified via a content server.
- 15. The method of claim 13 wherein notifying the advertisement server of the content transfer includes transmitting an identification of the transferred content and the second terminal.
- 16. The method of claim 15 wherein the identification of the second terminal is an Internet protocol (IP) address.
- 17. The method of claim 1 further comprising:

 receiving information about other terminals that are in close proximity of the terminal; and

 transmitting the information to an advertisement server.
- 18. The method of claim 17 wherein the information about other terminals that are in close proximity of the terminal is received via a low power radio frequency connection.
 - 19. The method of claim 18 wherein the connection is a Bluetooth connection.
 - 20. A method of advertising comprising:

 receiving an advertisement at the time of downloading content;

 displaying the content on a bistable display;

 detecting user inactivity with respect to the content;

 displaying the advertisement on the display; and

content.

removing power to the display, wherein the advertisement remains on the display after the power has been removed.

- 21. The method of claim 20 further comprising:

 receiving a plurality of advertisements at the time of downloading content;

 wherein the advertisement displayed is randomly selected from the plurality of advertisements.
- 22. The method of claim 20 wherein the display is a bistable reflective display.
 - 23. The method of claim 20 further comprising:
 receiving the content; and
 detecting a predetermined period of user inactivity with respect to the
- 24. The method of claim 23 wherein the content and advertisement are received via the Internet.
- 25. The method of claim 23 wherein the content and advertisement are received via a DVB-T receiver.
- 26. The method of claim 20 wherein the content is a page of an electronic book and further comprising:

detecting a page turn at a particular time,

wherein the period of vser inactivity begins with the time of the page turn and ends a predetermined time later.

- 27. The method of claim 20 wherein the advertisement remains on the display for an extended period of time after power to the display has been removed.
- 28. The method of claim 20 further comprising:

 displaying a different advertisement on the display after a predetermined period of time.
- 29. The method of claim 20 wherein the advertisement replaces the content on the display.
- 30. The method of claim 20, further comprising:

 removing power to the display after displaying the content, wherein the content remains on the display after power has been removed.
- 31. The method of claim 20, further comprising:
 adding power to the display to clear the content and display the advertisement.
 - 32. The method of claim 20 further comprising: transferring content to a second terminal.
 - 33. The method of claim 32 further comprising: notifying an advertisement server of the content transfer.
- 34. The method of claim 33 wherein the advertisement server is notified via a content server.

- 35. The method of claim 33 wherein notifying an advertisement server of the content transfer includes transmitting an identification of the transferred content and the second terminal.
- 36. The method of claim 35 wherein the identification of the second terminal is an Internet protocol (IP) address.
- 37. The method of claim 20 further comprising.

 receiving information about other terminals that are in close proximity of the terminal; and

 transmitting this information to an advertisement server.
- 38. The method of claim 37 wherein the information about other terminals that are in close proximity of the terminal is received via a low power radio frequency connection.
 - 39. The method of claim 38 wherein the connection is a Bluetooth connection.
 - 40. The method of claim 20 wherein the advertisement is a hyperlink on text.
- 41. A method of advertising to a user of a terminal having a bistable display, comprising:

storing content;

storing advertisements linked to the stored content;

receiving a request for content from the user terminal;

transmitting the requested content to the user terminal;

receiving an indication of user inactivity at the user terminal with respect to the requested content;

selecting an advertisement linked to the requested content; and transmitting the selected advertisement to the user terminal for display.

- 42. The method of claim 41 wherein the advertisement is transmitted via the Internet.
- 43. The method of claim 41 wherein the advertisement is transmitted via a DVB-T transmitter.
- 44. The method of claim 41 wherein the advertisement is randomly selected from a plurality of advertisements.
 - 45. The method of claim 41 wherein the devertisement is a hyperlink.
- 46. The method of claim 41 further comprising:

 receiving notice that the terminal has transferred content to a second terminal having a bistable display; and

 transmitting advertisements to the second terminal.
- 47. The method of claim 46 wherein the notice includes an identification of the transferred content and the second terminal.
- 48. The method of claim 46/wherein the advertisements are linked to the transferred content.
 - 49. The method of claim 41 further comprising:

receiving information about other terminals that are in close proximity of

the terminal; and

transmitting advertisements to the other terminals.

50. An apparatus for advertising, comprising:

a memory device storing a program; and

a processor in communication with the memory device, the processor

operative with the program to:

display content on a bistable display;

transmit an indication of user inactivity;

receive an advertisement;

display the advertisement on the display; and

remove power to the display, wherein the advertisement remains on the

display after power has been removed.

51. An apparatus for advertising comprising:

a memory device storing a program; and

a processor in communication with the memory device, the processor

operative with the program to:

receive an advertisement at the time of downloading content;

display the content on a bistable display;

detect user inactivity with respect to the content;

display the advertisement on the display; and

remove power to the display, wherein the advertisement remains on the display after the power has been removed.

52. A system for advertising to a user of a user terminal having a bistable display, comprising:

a memory device storing a program; and

a processor in communication with the memory device, the processor

operative with the program to:

store content;

store advertisements linked to the stored content;

receive a request for content from the user terminal;

transmit the requested content to the user terminal;

receive an indication of user inactivity at the user terminal with respect to

the requested content;

select an advertisement linked to the requested content; and transmit the selected advertisement to the user terminal for display.